THE following Returns of Births and Deaths registered in South Australia during the undermentioned period are published for general J. H. Gordon, Chief Secretary.

Return of Births and Deaths registered in South Australia, exclusive of the Northern Territory, in the Month of August, 1888-93.

2000011009 2011	1	1	1	1	1	usive of	0100 1101		0 1011	corg	, 676 6	166 111	076676 (n A	ny us i	, 1000		
Years	1888.	1889.	1890.	1891.	1892.	Average	e								Total			
*Population, Aug. 1st	304,698	308,355	311,610	317,324	326,271	of Five Years.								for 1893.				
Births	959	911	886	976	831	913	988								7,267			
Rate per cent	*315	•295	.284	.308	•255	_					•2	94						
Deaths							All Ages.	Under 1 year.	l and under 5.	5 and under 20	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Not stated.	+Coroners, Inquiries.	‡Uncerti- fied causes of Death.	
All causes	339	248	320	321	302	306	380	69	75	38	53	56	68	21	_	33	15	2,802
Rate per cent	·111	•080	.103	101	.093	_	•113	_	_		_	_	_	_	_			
Diseases— 1. Specific Febrile or Zymotic 11. Parasitic 111. Dietic 112. Constitutional v. Developmental vI. Local vII. Violence vIII. Ill-defined and not specified	20 2 1 47 32 177 39	13 3 4 40 38 130 11	46 1 2 57 46 133 20	32 4 1 66 44 156 8	24 1 55 34 159 12		80 1 1 62 35 169 19	$ \begin{array}{c c} & 14 \\ \hline & 1 \\ & 2 \\ & 7 \\ & 32 \\ & 2 \end{array} $	43 - 1 - 29 2	15 - 3 18 2	5 1 26 18 3	1 18 30 6	1 - 11 13 38 4	1 1 15 4				
causes	21	9	15	10	17	_	13	11	_			1	1	_		_	_	

^{*} The numbers represent the population of South Australia proper, and are exclusive of that of the Northern Territory (European and Chinese), and also of the number of the aborigines.

† Not certified by qualified practitioners.

Causes of Deaths registered in the Month of August, 1893.

	Under One Year.	One Year and Above.		Under One Year.	One Year and Above.		Under One Year.	One Year and bove.
I.								
Measles	8	46	V.			Diseases of locomotive sys-		
Scarlet fever	_	_	Premature birth	6	_	tem		1
Relapsing fever	-		Cyanosis	_		Diseases of integumentary	-	1
Influenza	_	1	Congenital defects,	1			1	
Whooping-cough	3	4	Old age	_	28	systemVII.	1	
Diphtheria	1	9	VI.		20	(Accident.)		
Simple and ill-defined fever	_	_	Apoplexy		10	Fracture and contusion		6
Enteric fever	_	2	Epilepsy	1	2	Gunshot wound		0
Simple cholera			Convulsions	10	3	Cut, stab	_	
Diarrhœa, dysentery	_	1	Other diseases of brain and			Burn and scald		1
Remittent fever	_		nervous system	1	18	Poison		1
Venereal affections	_		Diseases of organs of special	-	10	Drowning		3
Erysipelas	_	1	sense		1	Suffocation	1	2
Pyæmia and septicæmia	1	_	Diseases of circulatory sys-		-	Otherwise	1	4
Puerperal fever	_	2	tem	1	27	(Homicide.)	1	
Other zymotic diseases	1	_	Croup	_	2	Murder and manslaughter		
II.			Bronchitis	8	15	Justifiable homicide		
Thrush		_	Pneumonia	5	28	(Suicide.)		
Worms and other parasitical			Pleurisy	_	3	Gunshot wound		
diseases	_	1	Other diseases of respiratory			Cut, stab		1
III.			system	_	3	Poison		1
Privation-want of breast milk	1		Dentition	3	1	Drowning		2
Alcoholism	_	_	Quinsy, sore throat	_	î	Hanging		2
IV.			Enteritis			Otherwise		1
Rheumatic fever and rheuma-			Peritonitis			VIII.		1
tism of heart	_	1	Diseases of liver	1	2	Dropsy		
Rheumatism	-		Other diseases of digestive	-	-	Debility, atrophy, inanition	10	
Gout	_		system	1	6	Mortification		
Cancer, malignant disease	_	18	Diseases of lymphatic sys-			Tumor	_	1
Tabes mesenterica	1	_	tems and of ductless glands	_		Abscess	_	1
Tubercular meningitis	1	2	Diseases of urinary system	_	9	Hæmorrhage		_
Phthisis	_	32	Diseases of generative sys-		0	Sudden, cause unascertained	_	
Scrofula, tuberculosis	_	5	tem	_	1	Other ill-defined and not		_
Other constitutional diseases.		2	Accidents of childbirth		4	specified causes ,	1	

Return of Births and Deaths registered in the City of Adelaide in the Month of August, 1888-93.

Years	1888.	1889.	1890.	1891.	1892.	Average of Five	1893.								Total for			
Population, Jan. 1st	36,219	36,400	37,189	37,727	38,240	Years.					39,	073						1893.
Births	122	115	113	112	99	112	106								822			
Rate per cent	•337	•316	•304	•297	•259						•2	71						
Deaths —			,				All Ages.	Under l year.	l and under 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Not stated.	*Coroner's inquiries.	+Uncerti- fied causes of death.	
All causes	75	69	71	86	62	73	94	15	24	11	13	16	13	2	_	5	_	653
Rate per cent	.208	·190	•191	•228	·162		•241							_		_	_	
Diseases— I. Specific Febrile or Zymotic II. Parasitic III. Dietic IV. Constitutional V. Developmental VI. Local VII. Violence VIII. Ill-defined and not specified causes	. 8 1 16 10 30 5	4 1 1 12 9 38 4	8 ————————————————————————————————————	17 1 1 17 11 36 1	2 — 15 5 37 1		31 ————————————————————————————————————	5 -7 1	186	6 	1 - 7 - 5	1 - 2 - 12 1		1 1 -				

*Including inquests.

+Not certified by qualified practitioners.

Causes of Deaths registered in the Month of August, 1893.

)	,	(,
	Under	One Year		Under One	One Year		Under One	One Yeand
	Year.	Above.		Year.	Above.		Year.	Above
T								
I.		0.1	G . C 1 4 1 1 :		0	A : 1		
Measles	4	21	Scrofula, tuberculosis Other constitutional diseases		3	Accidents of childbirth		
Rolonging favor		_	Other constitutional diseases			Diseases of locomotive system		1
Relapsing fever	_		V.			Diseases of integumentary		
Whooping-cough		1	Premature birth			system	-	
Diphtheria		2	Cyanosis			VII. (Accident.)		
Simple and ill-defined fever			Congenital defects			Fracture and contusion		1
Enteric fever		1	Old age		3	Gunshot wound	_	
Simple cholera			Old ago		0	Cut, stab		
Diarrhœa, dysentery	-		VI.			Burn and scald		_
Remittent fever			Apoplexy		3	Poison		-
Venereal affections	_		Epilepsy		_	Drowning		_
Erysipelas		1	Convulsions	3	2	Suffocation	1	_
Pyæmia and septicæmia	1		Other diseases of brain and			Otherwise	_	_
Puerperal fever			nervous system	1	5			
Other zymotic diseases			Diseases of organs of special			(Homicide.)		
			sense			Murder and manslaughter	-	_
II.			Diseases of circulatory system		9	(Suicide.)		
hrush			Croup		1	Gunshot wound		-
Vorms and other parasitical			Bronchitis	2	5	Cut, stab		_
diseases	-		Pneumonia		7	Poison		
777			Pleurisy	_	1	Drowning	_	_
III.			Other diseases of respiratory			Hanging		-
rivation—want of breast milk		. —	system		1	Otherwise		-
Alcoholism		_	Dentition	1	-			
IV.			Quinsy, sore throat	-	_	_ VIII.		
Rheumatic fever and rheuma-			Enteritis			Dropsy	_	-
tism of heart			Peritonitis		_	Debility, atrophy, inanition	2	1
Rheumatism		-	Diseases of liver			Mortification		_
out		_	Other diseases of digestive		1	Tumor	-	
Sancer, malignant disease		2	system		1	Abscess	-	
abes mesenterica	_		Diseases of lymphatic sys-			Hæmorrhage	-	
ubercular meningitis			tems and of ductless glands			Sudden, cause unascertained	-	
Phthisis	_	6	Diseases of urinary system	_	1	Other ill-defined and not		
		0	Diseases of generative system		_	specified causes	_	

Return of Births and Deaths registered in each Ward of the City of Adelaide, exclusive of Deaths in Public Institutions, of persons not usually resident in the city, in the Month of August, 1893.

	Total.	Hindmarsh.	Gawler.	Grey.	Young.	Robe.	MacDonnell.
Area in acres	3,632	573	659	552	718	480	650
Estimated population January 1st	39,073	6,217	6,873	8,070	9,405	3,666	4,842
Persons to an acre	10.8	10.8	10.4	14.6	13.1	7.6	7:4
Births Male Female	106 57 49	17 8 9	10 6 4	32 20 12	30 13 17	8 6 2	9 4 5
Deaths Male Female	80 44 36	14 9 5	21 11 10	13 5 8	18 9 9	6 6	8 4 4
CLASSES. I. Specific Febrile or Zymotic Diseases. II. Parasitic Diseases III. Dietic Diseases. IV. Constitutional Diseases V. Developmental Diseases VI. Local Diseases VII. Violence. VIII. Ill-defined and not specified causes	30 4 2 39 3 2	3 2 7 1	5 — 1 — 14 — 1	8 1 -4 	8 2 8 	3 - - - 1 2	3
Percentage of Deaths to population of each Ward	•205	•225	-306	-161	-191	.164	.165

Causes of Deaths registered in the Month of August, 1893.

	Under One Year.	One Year and Above.		Under One Year.	One Year and Above.		Under One Year.	One Year and Above.
I.			Phthisis		2	Accidents of childbirth		
Measles	4	21	Scrofula, tuberculosis		1	Diseases of locomotive system		
Scarlet fever	_		Other constitutional diseases.		_	Diseases of integumentary		
Relapsing fever	Name :	_				system	_	-
Influenza	_	_	V.					
Whooping-cough	_	1	Premature birth					
Diphtheria	_	2	Cyanosis	_		VII.		
Simple and ill-defined fever		_	Congenital defects			(Accident.)		
Enteric fever	-	_	Old age		2	Fracture and contusion		1
Simple cholera	_	-				Gunshot wound	-	
Diarrhœa, dysentery	_		VI.			Cut, stab		
Remittent fever	-	_	Apoplexy		3	Burn and scald		_
Venereal affections	-		Epilepsy	_	_	Poison	-	_
Erysipelas	-	1	Convulsions	3	2	Drowning	_	_
Pyæmia and septicæmia	1		Other diseases of brain and		-	Suffocation	1	
Puerperal fever	-	-	nervous system	1	4	Otherwise	_	_
Other zymotic diseases		-	Diseases of organs of special			(Homicide.)		
			sense	-	_	Murder and manslaughter	-	
II.			Diseases of circulatory system		9	(Suicide.)		
Thrush	-	_	Croup	-	1	Gunshot wound	-	_
Worms and other parasitical			Bronchitis	2	4	Cut, stab	-	-
diseases	-		Pneumonia	-	7	Poison		1
			Pleurisy	-		Drowning	-	_
III.			Other diseases of respiratory			Hanging		_
Privation — Want of breast			system	-	1	Otherwise	-	_
milk	-	-	Dentition	1	_			
Alcoholism	-		Quinsy, sore throat	-	_	VIII.		
			Enteritis	-	-	Dropsy	-	
IV.			Peritonitis		_	Debility, atrophy, inanition	2	-
Rheumatic fever and rheu-			Diseases of liver	-		Mortification	-	
matism of heart	-	_	Other diseases of digestive			Tumor	-	
Rheumatism	-	_	system	_	1	Abscess		
Gout	-	_	Diseases of lymphatic systems			Hæmorrhage		-
Cancer, malignant disease	-	1	and of ductless glands	_	_	Sudden, cause unascertained.		
Tabes mesenterica	-	_	Diseases of urinary system	-	_	Other ill-defined and not spe-		
Tubercular meningitis	-	_	Diseases of generative system		_	cified causes	-	-

AUGUST, 1893.

The highest temperature in the shade at the Adelaide Observatory during the month was 72°·4 on the 28th; and the lowest, 36°·6, on the 20th. The mean temperature of the month was 53°·9.

The greatest range of the thermometer in one day, 30°·9, took place on the 20th, viz., from a maximum of 67°·5 to a minimum of 36°·6; the lowest range, 9°·2, on the 10th.

The mean height of the barometer was 30·063 inches; the maximum, 30·528 inches, occurred on the 10th; and the minimum, 29·450 inches, and the minimum of the minimum

on the 29th. C. Todd, Observer.

Observatory, Adelaide, August 4th, 1893.